

西南交通大学电气工程学院卫生检查成绩（天佑斋17号-2018级男生）

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T174091	7.0	3.0	6.0	4.0	6.0	4.0	5.0	35.0	30.0	27.0	92.0
T174092	7.0	3.0	6.0	4.0	5.0	4.0	6.0	35.0	30.0	26.0	91.0
T174093	8.0	3.0	6.0	6.0	5.0	4.0	5.0	37.0	30.0	26.0	93.0
T174094	7.0	3.0	6.0	6.0	5.0	4.0	5.0	36.0	30.0	24.0	90.0
T174095	7.0	3.0	6.0	6.0	5.0	4.0	6.0	37.0	30.0	25.0	92.0
T175062	7.0	3.0	5.0	6.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T175063	7.0	3.0	6.0	6.0	6.0	4.0	6.0	38.0	30.0	27.0	95.0
T175064	7.0	3.0	6.0	4.0	5.0	4.0	3.0	32.0	30.0	26.0	88.0
T175065	6.0	3.0	6.0	6.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T175066	6.0	3.0	5.0	6.0	5.0	3.0	4.0	32.0	30.0	25.0	87.0
T175067	6.0	3.0	5.0	6.0	5.0	4.0	6.0	35.0	30.0	25.0	90.0
T175068	7.0	3.0	5.0	5.0	6.0	4.0	3.0	33.0	30.0	26.0	89.0
T175069	7.0	3.0	5.0	3.0	6.0	4.0	2.0	30.0	0.0	27.0	57.0
T175071	7.0	3.0	5.0	5.0	6.0	4.0	4.0	34.0	30.0	26.0	90.0
T175072	8.0	3.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T175073	7.0	3.0	6.0	4.0	6.0	4.0	3.0	33.0	30.0	27.0	90.0
T175074	7.0	3.0	6.0	4.0	6.0	4.0	3.0	33.0	30.0	26.0	89.0
T175075	7.0	3.0	6.0	6.0	5.0	4.0	6.0	37.0	30.0	27.0	94.0
T175076	6.0	3.0	6.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T175077	7.0	3.0	6.0	6.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T175078	7.0	3.0	5.0	5.0	6.0	4.0	5.0	35.0	30.0	27.0	92.0
T175079	6.0	3.0	5.0	5.0	5.0	4.0	6.0	34.0	30.0	26.0	90.0
T175080	7.0	3.0	5.0	5.0	6.0	4.0	5.0	35.0	30.0	26.0	91.0
T175081	7.0	3.0	5.0	5.0	6.0	4.0	4.0	34.0	30.0	27.0	91.0
T175082	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T175083	7.0	3.0	5.0	6.0	5.0	4.0	5.0	35.0	30.0	27.0	92.0
T175084	6.0	3.0	5.0	6.0	5.0	4.0	6.0	35.0	30.0	27.0	92.0
T175085	7.0	3.0	5.0	5.0	5.0	4.0	6.0	35.0	30.0	27.0	92.0
T175086	7.0	3.0	5.0	6.0	5.0	4.0	6.0	36.0	30.0	27.0	93.0
T175087	6.0	3.0	5.0	6.0	6.0	4.0	6.0	36.0	30.0	27.0	93.0
T175088	6.0	3.0	5.0	5.0	5.0	4.0	4.0	32.0	30.0	26.0	88.0
T175089	6.0	3.0	5.0	5.0	5.0	4.0	4.0	32.0	30.0	27.0	89.0
T175090	6.0	3.0	5.0	4.0	5.0	4.0	4.0	31.0	30.0	26.0	87.0
T175091	7.0	3.0	5.0	6.0	5.0	4.0	6.0	36.0	30.0	28.0	94.0
T175092	6.0	3.0	4.0	5.0	5.0	4.0	6.0	33.0	30.0	25.0	88.0
T175093	6.0	3.0	5.0	3.0	5.0	4.0	4.0	30.0	30.0	26.0	86.0
T175094	7.0	3.0	5.0	6.0	6.0	4.0	6.0	37.0	30.0	26.0	93.0
T175095	7.0	3.0	5.0	5.0	5.0	4.0	4.0	33.0	30.0	25.0	88.0
T175096	8.0	3.0	5.0	6.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T176039	8.0	3.0	5.0	5.0	6.0	4.0	6.0	37.0	30.0	29.0	96.0
T176040	7.0	3.0	5.0	4.0	6.0	4.0	4.0	33.0	30.0	26.0	89.0
T176041	7.0	3.0	5.0	6.0	5.0	4.0	5.0	35.0	30.0	27.0	92.0
T176042	7.0	3.0	6.0	4.0	5.0	3.0	6.0	34.0	30.0	28.0	92.0
T176043	7.0	3.0	6.0	4.0	5.0	3.0	4.0	32.0	30.0	26.0	88.0
T176044	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T176045	6.0	3.5	5.0	5.0	5.0	3.0	5.0	32.5	30.0	26.0	88.5
T176046	6.0	3.5	5.0	5.0	5.0	2.0	5.0	31.5	30.0	25.0	86.5
T176047	6.0	3.5	5.0	6.0	5.0	3.0	5.0	33.5	30.0	26.0	89.5
T176048	7.0	3.5	5.0	6.0	5.0	2.0	5.0	33.5	30.0	26.0	89.5
T176049	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	25.0	88.0
T176050	7.0	4.0	5.0	6.0	5.0	3.0	5.0	35.0	30.0	25.0	90.0
T176051	8.0	3.5	5.0	6.0	5.0	3.0	6.0	36.5	30.0	28.0	94.5
T176052	7.0	3.5	4.0	5.0	5.0	3.0	5.0	32.5	30.0	25.0	87.5
T176053	7.0	3.5	6.0	5.0	5.0	3.0	5.0	34.5	30.0	25.0	89.5
T176054	7.0	3.5	6.0	5.0	5.0	3.0	4.0	33.5	30.0	27.0	90.5
T176055	6.0	3.5	4.0	6.0	6.0	3.0	5.0	33.5	30.0	26.0	89.5

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T176056	8.0	3.5	5.0	6.0	5.0	3.0	5.0	35.5	30.0	25.0	90.5
T176057	8.0	3.5	5.0	6.0	4.0	3.0	4.0	33.5	30.0	26.0	89.5
T176058	7.0	4.0	5.0	6.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T176059	6.0	3.5	6.0	5.0	5.0	4.0	5.0	34.5	30.0	26.0	90.5
T176060	6.0	3.5	6.0	5.0	5.0	4.0	5.0	34.5	30.0	26.0	90.5
T176061	8.0	4.0	5.0	6.0	4.0	4.0	5.0	36.0	30.0	25.0	91.0
T176062	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	25.0	88.0
T176063	8.0	4.0	5.0	6.0	4.0	3.0	4.0	34.0	30.0	25.0	89.0
T176065	6.0	4.0	5.0	6.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T176066	6.0	4.0	5.0	6.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T176067	6.0	3.5	5.0	6.0	5.0	4.0	4.0	33.5	30.0	25.0	88.5
T176068	7.0	3.5	5.0	6.0	4.0	3.0	5.0	33.5	30.0	25.0	88.5
T176069	6.0	3.5	5.0	6.0	5.0	3.0	4.0	32.5	30.0	26.0	88.5
T176070	7.0	3.5	4.0	5.0	5.0	3.0	5.0	32.5	30.0	25.0	87.5
T176071	6.0	3.5	6.0	5.0	5.0	3.0	4.0	32.5	30.0	25.0	87.5
T176072	8.0	3.5	6.0	6.0	5.0	3.0	5.0	36.5	30.0	26.0	92.5
T176073	7.0	3.5	5.0	6.0	4.0	3.0	4.0	32.5	30.0	25.0	87.5
T176074	7.0	3.5	4.0	6.0	5.0	3.0	4.0	32.5	30.0	26.0	88.5
T176075	8.0	3.5	6.0	6.0	4.0	3.0	5.0	35.5	30.0	26.0	91.5
T176076	7.0	3.5	4.0	6.0	5.0	3.0	5.0	33.5	30.0	26.0	89.5
T176077	7.0	3.5	4.0	6.0	5.0	3.0	5.0	33.5	30.0	27.0	90.5
T176078	7.0	3.5	6.0	6.0	5.0	4.0	4.0	35.5	30.0	26.0	91.5
T176079	8.0	3.5	5.0	6.0	5.0	3.0	4.0	34.5	30.0	25.0	89.5
T176080	7.0	3.5	5.0	6.0	6.0	4.0	4.0	35.5	30.0	27.0	92.5
T176081	7.0	3.5	5.0	6.0	6.0	4.0	4.0	35.5	30.0	26.0	91.5
T176082	7.0	3.5	5.0	6.0	6.0	4.0	4.0	35.5	30.0	25.0	90.5
T176083	7.0	3.5	6.0	6.0	5.0	3.0	4.0	34.5	30.0	26.0	90.5
T176084	7.0	3.5	5.0	6.0	5.0	4.0	4.0	34.5	30.0	26.0	90.5
T176085	7.0	3.5	6.0	6.0	6.0	3.0	5.0	36.5	30.0	26.0	92.5
T176086	8.0	3.5	6.0	6.0	6.0	3.0	4.0	36.5	30.0	26.0	92.5
T176087	8.0	4.0	5.0	6.0	5.0	3.0	4.0	35.0	30.0	25.0	90.0
T176088	8.0	4.0	5.0	6.0	5.0	3.0	4.0	35.0	30.0	26.0	91.0
T176089	7.0	3.5	4.0	5.0	6.0	3.0	5.0	33.5	30.0	26.0	89.5

西南交通大学电气工程学院卫生检查成绩（天佑斋4号-2017级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T041041	7.0	3.0	6.0	6.0	6.0	4.0	6.0	38.0	30.0	24.0	92.0
T041047	7.0	3.0	6.0	6.0	5.0	4.0	5.0	36.0	30.0	24.0	90.0
T041048	7.0	4.0	6.0	6.0	5.0	3.0	5.0	36.0	30.0	25.0	91.0
T041049	7.0	3.0	6.0	6.0	5.0	3.0	5.0	35.0	30.0	24.0	89.0
T041050	7.0	4.0	6.0	6.0	5.0	4.0	6.0	38.0	30.0	25.0	93.0
T041052	7.0	3.0	6.0	5.0	6.0	3.0	6.0	36.0	30.0	25.0	91.0
T041053	7.0	3.0	6.0	6.0	6.0	4.0	5.0	37.0	30.0	24.0	91.0
T041054	7.0	3.0	6.0	6.0	5.0	4.0	6.0	37.0	30.0	25.0	92.0
T041055	7.0	4.0	6.0	6.0	6.0	4.0	6.0	39.0	30.0	24.0	93.0
T041056	7.0	3.0	6.0	4.0	5.0	3.0	6.0	34.0	30.0	25.0	89.0
T041058	7.0	3.0	6.0	6.0	5.0	4.0	6.0	37.0	30.0	24.0	91.0
T041059	7.0	4.0	6.0	5.0	5.0	3.0	6.0	36.0	30.0	24.0	90.0
T041060	7.0	3.0	6.0	5.0	5.0	4.0	6.0	36.0	30.0	24.0	90.0
T041061	6.0	3.0	6.0	5.0	5.0	3.0	5.0	33.0	30.0	24.0	87.0
T041062	7.0	3.0	6.0	5.0	5.0	3.0	5.0	34.0	30.0	24.0	88.0
T041063	6.0	3.0	6.0	5.0	5.0	3.0	5.0	33.0	30.0	24.0	87.0
T041064	7.0	4.0	6.0	6.0	6.0	4.0	6.0	39.0	30.0	25.0	94.0
T042001	7.0	3.0	6.0	5.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T042002	6.0	4.0	6.0	5.0	5.0	3.0	6.0	35.0	30.0	24.0	89.0
T042003	7.0	4.0	6.0	5.0	5.0	3.0	6.0	36.0	30.0	24.0	90.0
T042004	7.0	4.0	6.0	6.0	5.0	3.0	6.0	37.0	30.0	25.0	92.0
T042005	7.0	3.0	6.0	5.0	5.0	3.0	6.0	35.0	30.0	24.0	89.0
T042006	7.0	4.0	6.0	5.0	5.0	3.0	6.0	36.0	30.0	24.0	90.0
T042007	7.0	4.0	6.0	5.0	5.0	4.0	4.0	35.0	30.0	24.0	89.0
T042008	6.0	3.0	6.0	5.0	5.0	2.0	6.0	33.0	30.0	24.0	87.0
T042009	6.0	3.0	6.0	5.0	5.0	4.0	5.0	34.0	30.0	24.0	88.0
T042010	7.0	3.0	6.0	5.0	5.0	4.0	5.0	35.0	30.0	24.0	89.0
T042011	7.0	3.0	6.0	6.0	5.0	3.0	5.0	35.0	30.0	24.0	89.0
T042012	7.0	3.0	6.0	5.0	5.0	4.0	6.0	36.0	30.0	25.0	91.0
T042013	7.0	3.0	6.0	5.0	5.0	4.0	6.0	36.0	30.0	24.0	90.0
T042014	7.0	3.0	6.0	5.0	5.0	4.0	6.0	36.0	30.0	25.0	91.0
T042015	7.0	3.0	6.0	6.0	5.0	3.0	5.0	35.0	30.0	24.0	89.0
T042016	6.0	4.0	6.0	5.0	5.0	4.0	6.0	36.0	30.0	25.0	91.0
T042017	7.0	3.0	6.0	6.0	5.0	3.0	5.0	35.0	30.0	24.0	89.0
T042018	6.0	3.0	6.0	5.0	5.0	3.0	6.0	34.0	30.0	25.0	89.0
T042019	7.0	3.0	6.0	5.0	5.0	3.0	6.0	35.0	30.0	24.0	89.0
T042020	7.0	4.0	6.0	5.0	5.0	3.0	6.0	36.0	30.0	25.0	91.0
T042021	7.0	3.0	6.0	6.0	5.0	3.0	6.0	36.0	30.0	24.0	90.0
T042022	7.0	3.0	6.0	5.0	5.0	3.0	6.0	35.0	30.0	24.0	89.0
T042023	7.0	3.0	6.0	5.0	5.0	3.0	6.0	35.0	30.0	25.0	90.0
T042024	7.0	3.0	6.0	5.0	5.0	3.0	6.0	35.0	30.0	24.0	89.0
T042025	7.0	3.0	6.0	4.0	5.0	3.0	5.0	33.0	30.0	24.0	87.0
T043001	6.0	4.0	6.0	5.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T043002	7.0	3.5	6.0	5.0	5.0	4.0	5.0	35.5	30.0	25.0	90.5
T043003	6.0	3.5	5.0	5.0	5.0	4.0	5.0	35.0	30.0	24.0	89.0
T043004	6.0	3.5	6.0	5.0	5.0	4.0	5.0	34.5	30.0	24.0	88.5
T043005	6.0	3.5	6.0	5.0	5.0	3.0	5.0	33.5	30.0	25.0	88.5
T043006	7.0	3.5	5.0	5.0	5.0	3.0	5.0	33.5	30.0	24.0	87.5
T043007	6.0	3.5	6.0	6.0	5.0	4.0	5.0	35.5	30.0	24.0	89.5
T043008	7.0	3.5	6.0	6.0	6.0	4.0	5.0	37.5	30.0	25.0	92.5
T043009	6.0	3.0	6.0	6.0	5.0	3.0	5.0	34.0	30.0	24.0	88.0
T043010	7.0	3.5	6.0	6.0	6.0	4.0	5.0	37.5	30.0	25.0	92.5
T043011	7.0	3.5	6.0	5.0	6.0	4.0	6.0	37.5	30.0	24.0	91.5
T043012	7.0	3.5	6.0	5.0	6.0	4.0	6.0	37.5	30.0	24.0	91.5
T043013	7.0	3.5	6.0	6.0	6.0	3.0	6.0	37.5	30.0	24.0	91.5
T043014	7.0	3.5	6.0	6.0	6.0	3.0	6.0	37.5	30.0	24.0	91.5

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T043015	7.0	3.5	6.0	6.0	5.0	4.0	6.0	37.5	30.0	24.0	91.5
T043016	6.0	3.0	6.0	6.0	5.0	4.0	6.0	36.0	30.0	24.0	90.0
T043017	6.0	3.0	6.0	5.0	5.0	4.0	5.0	34.0	30.0	24.0	88.0
T043018	7.0	3.5	6.0	5.0	5.0	4.0	5.0	35.5	30.0	24.0	89.5
T043019	7.0	3.5	6.0	5.0	5.0	4.0	5.0	35.5	30.0	24.0	89.5
T043020	6.0	3.5	6.0	5.0	5.0	4.0	5.0	34.5	30.0	24.0	88.5
T043021	7.0	3.5	6.0	6.0	5.0	4.0	5.0	36.5	30.0	25.0	91.5
T044001	7.0	3.0	6.0	6.0	5.0	4.0	5.0	36.0	30.0	24.0	90.0
T044002	7.0	3.5	6.0	6.0	5.0	4.0	6.0	37.5	30.0	24.0	91.5
T044003	7.0	3.5	6.0	5.0	5.0	4.0	6.0	36.5	30.0	24.0	90.5
T044004	6.0	3.5	5.0	5.0	5.0	4.0	5.0	33.5	30.0	24.0	87.5
T044005	7.0	3.0	5.0	5.0	6.0	4.0	5.0	35.0	30.0	24.0	89.0
T044006	7.0	3.5	5.0	6.0	6.0	3.0	5.0	35.5	30.0	24.0	89.5
T044007	7.0	3.5	6.0	6.0	6.0	3.0	5.0	36.5	30.0	25.0	91.5
T044008	7.0	3.5	5.0	5.0	5.0	4.0	5.0	34.5	30.0	25.0	89.5
T044009	7.0	3.5	5.0	5.0	5.0	3.0	6.0	34.5	30.0	24.0	88.5
T044010	7.0	3.5	5.0	5.0	6.0	3.0	6.0	34.5	30.0	25.0	90.0
T044011	7.0	3.5	5.0	5.0	5.0	3.0	6.0	34.5	30.0	24.0	88.5
T044012	7.0	3.5	5.0	5.0	5.0	3.0	5.0	33.5	30.0	24.0	87.5
T044013	6.0	3.0	5.0	5.0	5.0	4.0	5.0	33.0	30.0	25.0	88.0
T044014	7.0	3.5	6.0	6.0	5.0	4.0	6.0	37.5	30.0	24.0	91.5
T044015	6.0	3.0	6.0	6.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T044016	7.0	3.5	5.0	5.0	5.0	4.0	6.0	35.5	30.0	25.0	90.5
T044017	7.0	3.5	5.0	6.0	5.0	4.0	5.0	34.0	30.0	24.0	89.5
T044018	7.0	3.5	6.0	5.0	5.0	4.0	6.0	36.5	30.0	25.0	91.5
T044019	6.0	3.0	6.0	5.0	5.0	4.0	5.0	34.0	30.0	25.0	89.0
T044020	7.0	3.5	6.0	5.0	5.0	4.0	6.0	36.5	30.0	24.0	90.5
T044021	6.0	3.5	5.0	6.0	5.0	3.0	5.0	33.5	30.0	25.0	88.5
T044022	7.0	3.5	5.0	6.0	5.0	4.0	5.0	35.5	30.0	24.0	89.5
T044023	7.0	3.5	6.0	6.0	5.0	4.0	5.0	36.5	30.0	24.0	90.5

西南交通大学电气工程学院卫生检查成绩（天佑斋1号-2016级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床6分	垃圾 筐 4分	洗手 间 6分				
T015002	8.0	3.0	5.0	4.0	3.0	3.0	6.0	32.0	30.0	25.5	87.5
T015003	8.0	3.0	5.0	5.0	4.0	4.0	5.0	34.0	30.0	25.5	89.5
T015004	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	27.0	89.0
T015005	7.0	3.0	5.0	4.0	4.0	3.0	5.0	31.0	30.0	25.5	86.5
T015006	7.0	3.0	5.0	4.0	2.0	4.0	4.0	29.0	30.0	25.0	84.0
T015007	7.0	3.0	4.0	4.0	3.0	3.0	4.0	28.0	30.0	25.0	83.0
T015008	6.5	3.0	4.0	4.0	2.0	4.0	4.0	27.5	30.0	25.5	83.0
T015009	7.0	3.0	5.0	4.0	5.0	4.0	4.0	32.0	30.0	25.5	87.5
T015010	7.0	3.0	4.0	4.0	4.0	4.0	5.0	31.0	30.0	27.0	88.0
T015011	7.0	3.0	5.0	5.0	6.0	4.0	5.0	35.0	30.0	25.5	90.5
T015012	7.0	3.0	4.0	4.0	4.0	4.0	5.0	31.0	30.0	25.5	86.5
T015013	7.0	3.0	5.0	5.0	4.0	4.0	5.0	33.0	30.0	25.5	88.5
T015014	7.0	3.0	4.0	5.0	5.0	4.0	5.0	33.0	30.0	25.5	88.5
T015015	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	25.5	85.0
T015016	7.0	3.0	5.0	4.0	5.0	4.0	4.0	32.0	30.0	25.5	87.5
T015017	6.5	3.0	3.0	4.0	2.0	4.0	4.0	26.5	30.0	25.5	82.0
T015018	7.0	3.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	25.5	85.5
T015019	7.0	3.0	6.0	4.0	2.0	4.0	5.0	31.0	30.0	27.0	88.0
T015020	7.0	3.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T015021	7.0	3.0	5.0	5.0	6.0	4.0	5.0	35.0	30.0	26.5	91.5
T015022	7.0	3.0	4.0	5.0	3.0	4.0	5.0	31.0	30.0	27.0	88.0
T015023	7.0	4.0	6.0	5.0	6.0	4.0	5.0	37.0	30.0	25.0	92.0
T015024	6.5	3.0	3.0	4.0	2.0	4.0	4.0	26.5	30.0	25.0	81.5
T015025	7.0	4.0	5.0	5.0	3.0	4.0	5.0	33.0	30.0	25.5	88.5
T015026	7.0	3.0	6.0	4.0	6.0	4.0	5.0	35.0	30.0	25.5	90.5
T015027	7.0	3.0	5.0	5.0	4.0	4.0	4.0	32.0	30.0	27.0	89.0
T015028	7.0	3.0	5.0	5.0	3.0	4.0	5.0	32.0	30.0	27.0	89.0
T015029	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	25.5	90.5
T015030	8.0	3.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	25.5	91.5
T015031	7.0	3.0	5.0	5.0	5.0	4.0	4.0	33.0	30.0	25.5	88.5
T015032	7.0	3.0	5.0	5.0	4.0	4.0	4.0	32.0	30.0	25.5	87.5
T015033	8.0	3.0	4.0	3.0	2.0	4.0	4.0	28.0	30.0	25.5	83.5
T015034	7.0	3.0	5.0	5.0	5.0	4.0	4.0	33.0	30.0	25.5	88.5
T015035	7.0	3.0	4.0	4.0	2.0	3.0	4.0	27.0	30.0	25.0	82.0
T015036	7.0	3.0	4.0	5.0	2.0	4.0	4.0	29.0	30.0	25.5	84.5
T015037	7.0	3.0	6.0	5.0	5.0	4.0	5.0	35.0	30.0	25.5	90.5
T015038	7.0	3.0	5.0	5.0	4.0	3.0	5.0	32.0	30.0	25.5	87.5
T015039	7.0	3.0	3.5	4.0	3.0	4.0	5.0	29.5	30.0	25.0	84.5
T015040	8.0	3.0	4.5	5.0	3.0	2.5	5.5	31.5	30.0	24.0	85.5
T015041	8.0	3.0	2.5	3.5	3.0	2.5	5.0	27.5	30.0	25.0	82.5
T015042	7.0	3.0	2.5	4.0	3.0	4.0	5.0	28.5	30.0	26.0	84.5
T015043	7.5	4.0	2.5	3.5	3.0	4.0	5.5	30.0	30.0	26.0	86.0
T015044	7.0	4.0	5.0	5.5	4.0	4.0	5.5	35.0	30.0	25.0	90.0
T015045	7.5	4.0	5.0	5.5	3.5	4.0	5.5	35.0	30.0	26.0	91.0
T015046	7.0	3.0	5.0	6.0	3.5	4.0	5.5	34.0	30.0	25.5	89.5
T015047	7.5	4.0	5.0	5.0	4.0	4.0	5.5	35.0	30.0	26.0	91.0
T015048	7.5	3.0	5.0	4.5	4.0	4.0	5.5	33.5	30.0	25.0	88.5
T015049	7.0	3.0	4.5	5.0	3.5	4.0	5.0	32.0	30.0	26.0	88.0
T015050	7.0	3.0	4.0	5.5	3.0	4.0	5.0	31.5	30.0	27.0	88.5
T015051	7.5	3.0	4.5	4.5	4.0	4.0	5.0	32.5	30.0	25.0	87.5
T015052	7.0	3.0	4.0	4.0	4.0	2.5	5.5	30.0	30.0	26.0	86.0
T015053	7.0	3.0	4.0	5.5	3.5	4.0	5.0	32.0	30.0	27.0	89.0
T015054	7.0	3.0	3.5	5.0	3.0	4.0	5.5	31.0	30.0	26.0	87.0
T015055	7.0	3.0	3.5	5.5	4.0	4.0	5.5	32.5	30.0	26.0	88.5
T015056	8.0	4.0	5.0	5.5	3.0	4.0	5.5	35.0	30.0	26.0	91.0
T015057	7.0	4.0	5.0	5.0	4.0	2.5	5.5	33.0	30.0	28.0	91.0

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床6分	垃圾 筐 4分	洗手 间 6分				
T015058	7.0	4.0	5.0	6.0	4.0	2.5	6.0	34.5	30.0	26.0	90.5
T015059	7.0	3.0	4.0	5.5	4.0	4.0	5.5	33.0	30.0	24.0	87.0
T015060	7.0	3.0	3.5	3.5	3.0	2.5	5.0	27.5	30.0	25.0	82.5
T015061	7.5	4.0	4.0	4.0	3.5	4.0	5.5	32.5	30.0	26.0	88.5
T015062	7.5	3.0	4.0	5.0	3.5	4.0	5.0	32.0	30.0	25.0	87.0
T015063	7.5	3.0	3.5	4.0	3.5	4.0	5.0	30.5	30.0	25.0	85.5
T015064	7.5	4.0	2.5	4.0	3.0	4.0	5.0	30.0	30.0	25.0	85.0
T015065	7.5	4.0	3.5	4.0	4.0	4.0	5.0	32.0	30.0	25.0	87.0
T015066	7.0	3.0	3.5	4.0	3.5	2.5	5.5	29.0	30.0	24.0	83.0
T015067	7.0	3.0	4.0	4.0	3.5	4.0	5.0	30.5	30.0	24.0	84.5
T015068	7.0	3.0	4.0	5.0	3.5	4.0	5.0	31.5	30.0	25.0	86.5
T015069	7.0	3.0	5.0	5.5	4.0	4.0	5.5	34.0	30.0	25.5	89.5
T015070	7.0	3.0	3.5	4.5	3.5	4.0	5.0	30.5	30.0	25.0	85.5
T015071	7.0	3.0	5.0	5.5	4.0	4.0	5.0	33.5	30.0	26.0	89.5
T015072	7.0	3.0	3.5	4.0	3.5	4.0	5.0	30.0	30.0	26.0	86.0
T015073	7.0	3.0	6.0	5.5	4.0	4.0	5.5	35.0	30.0	27.0	92.0
T015074	7.0	3.0	4.0	5.0	3.5	2.5	5.5	30.5	30.0	26.0	86.5
T015075	7.0	4.0	5.0	5.5	3.5	4.0	6.0	35.0	30.0	27.0	92.0
T015076	7.0	3.0	5.0	4.5	5.0	4.0	5.0	33.5	30.0	25.0	88.5
T015077	7.0	3.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	25.0	85.0
T015078	7.0	3.0	3.0	4.0	5.0	4.0	4.0	30.0	30.0	25.0	85.0
T015079	7.0	3.0	4.0	4.5	5.0	4.0	5.0	32.5	30.0	25.0	87.5
T015080	8.0	3.5	6.0	4.5	5.0	4.0	5.0	36.0	30.0	25.0	91.0
T015081	8.0	3.0	5.0	4.5	5.0	4.0	5.0	34.5	30.0	25.0	89.5
T015082	7.0	3.5	5.0	4.5	5.0	4.0	4.0	33.0	30.0	27.0	90.0
T015083	7.0	3.0	4.0	4.5	4.0	4.0	5.0	31.5	30.0	27.0	88.5
T015084	7.0	3.5	5.0	4.5	5.0	4.0	5.0	34.0	30.0	27.5	91.5
T015085	7.0	3.5	6.0	4.5	5.0	4.0	5.0	35.0	30.0	27.0	92.0
T015086	7.0	3.0	5.0	4.5	6.0	4.0	5.0	34.5	30.0	27.0	91.5
T015087	7.0	3.5	5.0	4.5	5.0	4.0	5.0	34.0	30.0	27.5	91.5
T015088	7.0	3.0	5.0	4.0	4.0	4.0	4.0	31.0	30.0	27.5	88.5
T015089	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	25.0	83.0
T015090	7.0	3.0	5.0	4.5	5.0	4.0	5.0	33.5	30.0	25.0	88.5
T015091	7.0	3.0	5.0	4.0	5.0	4.0	4.0	32.0	30.0	27.0	89.0
T015092	7.0	3.0	5.0	4.5	6.0	4.0	5.0	34.5	30.0	25.0	89.5
T015093	7.0	3.0	4.0	4.5	4.0	4.0	4.0	30.5	30.0	25.0	85.5
T015094	7.0	3.0	4.0	4.0	4.0	4.0	4.0	30.0	30.0	25.0	85.0
T015095	7.0	3.0	4.0	4.0	3.0	3.0	4.0	28.0	30.0	25.0	83.0
T015096	6.0	3.0	4.0	4.0	5.0	4.0	4.0	30.0	30.0	25.0	85.0
T015097	6.0	3.5	4.0	4.5	5.0	4.0	5.0	32.0	30.0	27.0	89.0
T015098	7.0	3.0	5.0	4.5	3.0	4.0	5.0	31.5	30.0	25.0	86.5
T015099	6.0	3.0	3.0	4.0	4.0	4.0	4.0	28.0	30.0	25.0	83.0
T015100	7.0	3.0	5.0	4.5	5.0	3.0	4.0	31.5	30.0	25.0	86.5
T015101	6.0	3.0	4.0	4.5	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015102	7.0	3.0	5.0	4.0	4.0	4.0	4.0	31.0	30.0	27.0	88.0
T015103	6.0	3.0	4.0	4.0	4.0	4.0	4.0	29.0	30.0	25.0	84.0
T015104	7.0	3.0	3.0	4.5	4.0	4.0	5.0	30.5	30.0	25.0	85.5
T015105	7.0	3.0	5.0	4.5	5.0	4.0	5.0	33.5	30.0	25.0	88.5
T015106	6.0	3.0	4.0	4.0	4.0	3.0	4.0	28.0	30.0	25.0	83.0
T015107	7.0	3.0	5.0	4.5	5.0	4.0	5.0	33.5	30.0	25.0	88.5
T015108	6.0	3.0	5.0	4.0	5.0	4.0	5.0	32.0	30.0	25.0	87.0
T016082	7.0	3.0	4.0	4.5	5.0	3.0	5.0	31.5	30.0	25.0	86.5
T016083	7.0	3.0	4.0	4.5	4.0	4.0	4.0	30.5	30.0	25.0	85.5
T016084	6.0	3.0	4.0	4.5	5.0	3.0	4.0	29.5	30.0	25.0	84.5
T016085	7.0	3.0	4.0	4.5	4.0	4.0	4.0	30.5	30.0	25.0	85.5

西南交通大学电气工程学院卫生检查成绩（天佑斋3号-2015级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T034089	6.5	3.0	4.0	5.0	5.0	3.0	4.5	31.0	30.0	26.5	87.5
T034090	7.0	3.0	5.0	4.0	4.5	2.5	4.0	30.0	30.0	27.5	87.5
T034091	7.0	3.0	4.0	5.0	5.0	3.0	4.0	31.0	30.0	27.5	88.5
T034092	7.0	3.0	4.0	5.0	5.0	3.0	4.0	31.0	30.0	26.5	87.5
T034093	7.0	3.0	5.0	5.0	5.0	3.0	4.0	32.0	30.0	26.5	88.5
T034094	7.0	3.0	5.0	5.0	5.0	3.0	4.0	32.0	30.0	26.5	88.5
T034095	7.0	3.0	5.0	4.0	6.0	3.0	4.0	32.0	30.0	26.5	88.5
T034096	7.0	3.0	5.0	4.0	5.0	3.0	4.0	31.0	30.0	26.5	87.5
T034097	7.0	2.0	3.0	4.0	6.0	3.0	4.0	29.0	30.0	26.5	85.5
T034098	7.0	3.0	5.0	4.0	6.0	3.0	5.0	33.0	30.0	26.5	89.5
T034099	7.0	3.0	3.0	4.0	5.0	2.5	5.0	29.5	30.0	26.5	86.0
T034100	7.0	3.0	5.0	4.0	5.0	2.5	5.0	31.5	30.0	26.5	88.0
T035035	7.0	3.0	3.0	4.5	6.0	2.5	5.0	31.0	30.0	26.5	87.5
T035036	7.0	3.0	5.0	5.0	5.0	2.5	5.0	32.5	30.0	26.5	89.0
T035037	7.0	3.0	4.0	5.0	5.0	2.5	5.0	31.5	30.0	26.5	88.0
T035038	7.5	3.0	5.0	5.0	4.0	2.5	5.0	32.0	30.0	26.5	88.5
T035039	7.5	3.0	5.0	4.5	5.0	2.5	5.0	32.5	30.0	26.5	89.0
T035040	7.0	3.0	4.0	4.0	6.0	2.5	5.0	31.5	30.0	27.0	88.5
T035041	7.5	3.0	4.5	4.0	5.0	2.5	5.5	32.0	30.0	27.0	89.0
T035042	7.0	3.0	5.0	4.0	5.0	2.5	5.0	31.5	30.0	26.5	88.0
T035043	7.0	3.0	4.5	4.0	6.0	2.5	5.0	32.0	30.0	27.0	89.0
T035044	7.0	3.0	4.5	4.0	6.0	3.0	5.5	33.0	30.0	26.5	89.5
T035045	8.0	3.0	5.0	4.0	6.0	2.5	5.0	33.5	30.0	26.5	90.0
T035046	7.0	3.0	5.0	4.0	5.0	2.5	5.0	31.5	30.0	26.5	88.0
T035047	7.0	3.0	5.0	4.0	5.0	2.5	5.0	31.5	30.0	27.5	89.0
T035048	7.5	3.0	5.0	4.0	5.0	2.5	5.0	32.0	30.0	27.5	89.5
T035049	7.5	3.0	5.0	4.0	5.0	2.5	5.0	32.0	30.0	27.5	89.5
T035050	8.0	3.0	5.0	4.0	5.0	2.5	5.0	32.5	30.0	27.5	90.0
T035051	7.0	3.0	5.0	4.0	5.0	4.0	4.0	32.0	30.0	26.5	88.5
T035052	7.0	3.0	5.0	4.0	5.0	4.0	4.0	32.0	30.0	26.5	88.5
T035053	7.0	3.0	5.0	4.0	5.0	4.0	4.0	32.0	30.0	26.5	88.5
T035054	7.0	3.0	5.0	4.0	5.0	3.0	5.0	32.0	30.0	26.5	88.5
T035055	7.0	3.0	5.0	4.0	5.0	2.5	5.0	31.5	30.0	26.5	88.0
T035056	7.0	3.0	5.0	4.0	5.0	2.5	4.0	30.5	30.0	26.5	87.0
T035057	7.0	3.0	5.0	5.0	5.0	2.5	4.0	31.5	30.0	26.5	88.0
T035058	7.0	3.0	5.0	5.0	5.0	2.5	4.0	31.5	30.0	26.5	88.0
T035059	7.0	3.0	5.0	5.0	5.0	2.5	4.0	31.5	30.0	26.5	88.0
T035060	7.0	3.0	5.0	5.0	5.0	2.5	5.0	32.5	30.0	26.5	89.0
T035061	7.0	3.0	5.0	4.5	6.0	2.5	5.0	33.0	30.0	26.5	89.5
T035062	7.0	3.0	5.0	4.0	6.0	2.5	5.0	32.5	30.0	27.5	90.0
T035063	8.0	3.0	5.0	4.0	4.0	2.5	4.5	31.0	30.0	27.5	88.5
T035064	8.0	3.0	4.5	4.0	4.0	3.0	4.0	30.5	30.0	26.5	87.0
T035065	7.0	3.0	4.0	5.0	5.0	3.0	5.0	32.0	30.0	27.5	89.5
T035066	7.0	3.0	4.0	5.0	4.0	4.0	5.0	32.0	30.0	26.5	88.5
T035067	8.0	4.0	4.5	5.0	5.0	4.0	5.5	36.0	30.0	27.0	93.0
T035068	7.5	4.0	6.5	5.0	6.0	3.0	4.5	36.5	30.0	27.0	93.5
T035069	7.5	3.0	5.5	6.0	5.0	3.0	4.0	34.0	30.0	26.0	90.0
T035070	7.5	3.0	5.5	5.0	5.0	3.0	4.0	33.0	30.0	27.0	90.0
T035071	7.5	3.0	5.5	5.0	5.0	4.0	5.5	35.5	30.0	26.0	91.5
T035072	6.5	3.0	6.5	4.5	5.0	3.0	4.5	33.0	0.0	27.0	60.0
T035073	7.5	3.0	5.5	5.0	6.0	3.0	6.0	36.0	30.0	27.0	93.0
T035074	7.5	3.0	5.5	4.0	5.0	3.0	4.5	32.5	30.0	27.0	89.5
T035075	7.5	2.5	5.5	4.0	5.0	2.0	4.5	31.0	30.0	27.0	88.0
T035076	7.5	3.0	5.5	4.0	5.0	3.0	4.5	32.5	30.0	27.0	89.5
T035077	8.0	3.0	4.5	5.0	5.0	2.0	4.0	31.5	30.0	26.0	87.5
T035078	7.5	3.0	4.5	5.0	5.0	2.0	4.0	31.0	30.0	26.0	87.0

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T035079	7.5	2.5	4.5	4.0	5.0	2.0	4.0	29.5	30.0	27.0	86.5
T035080	7.5	3.0	4.5	5.0	5.0	2.0	4.0	31.0	30.0	27.0	88.0
T035081	7.5	2.5	2.5	5.0	5.0	2.0	4.0	28.5	30.0	27.0	85.5
T035082	7.5	3.0	3.5	5.0	4.0	2.0	4.0	29.0	30.0	27.0	86.0
T035083	7.5	3.0	4.5	5.0	5.0	3.0	4.5	32.5	30.0	27.0	89.5
T035084	8.0	3.0	4.5	6.0	5.0	2.0	4.0	32.5	30.0	27.0	89.5
T035085	7.5	3.0	4.5	6.0	5.0	4.0	4.5	34.5	30.0	27.0	91.5
T035086	7.5	3.0	3.5	6.0	5.0	2.0	4.0	31.0	30.0	26.0	87.0
T035087	8.0	3.0	4.5	6.0	5.0	2.0	4.0	32.5	30.0	27.0	89.5
T035088	7.5	3.0	5.5	4.0	5.0	3.0	5.5	33.5	30.0	26.0	89.5
T035089	7.0	2.5	3.5	4.0	5.0	2.0	4.5	28.5	30.0	26.0	84.5
T035090	8.0	3.0	5.5	4.0	6.0	3.0	4.0	33.5	30.0	26.0	89.5
T035091	8.0	3.0	3.5	3.5	5.0	3.0	4.5	30.5	30.0	27.0	87.5
T035092	7.5	2.5	5.5	3.5	4.5	3.0	4.5	31.0	30.0	26.0	87.0
T035093	7.5	2.5	5.5	4.0	5.0	2.0	4.0	30.5	30.0	27.0	87.5
T035094	7.5	3.0	5.5	3.5	5.0	3.0	4.5	32.0	30.0	27.0	89.0
T035095	7.5	3.0	4.5	3.5	5.0	2.0	5.5	31.0	30.0	27.0	88.0
T035096	7.0	2.5	4.5	3.5	4.5	3.0	5.5	30.5	30.0	27.0	87.5
T035097	6.5	4.0	4.5	4.0	5.0	3.0	5.5	32.5	30.0	27.0	89.5
T035098	7.5	3.0	4.5	4.0	5.0	3.0	5.5	32.5	30.0	27.0	89.5
T035099	8.0	3.0	5.5	5.0	6.0	4.0	6.0	37.5	30.0	27.0	94.5
T035100	6.5	2.5	4.5	2.5	4.0	2.0	4.5	26.5	30.0	27.0	83.5
T035101	6.0	2.0	2.5	2.5	4.0	2.0	4.5	23.5	30.0	27.0	80.5
T035102	6.5	2.5	3.5	2.5	4.0	3.0	4.5	26.5	30.0	26.0	82.5
T035103	7.5	3.0	3.5	4.0	5.0	3.0	5.5	31.5	30.0	27.0	88.5
T035104	6.5	2.5	4.5	3.5	4.0	3.0	4.0	28.0	30.0	27.0	85.0
T035105	6.5	2.5	4.5	2.5	4.0	3.0	4.0	27.0	30.0	27.0	84.0
T035106	7.5	2.5	5.5	4.0	5.0	4.0	5.5	34.0	30.0	27.0	91.0
T035107	6.5	2.5	4.5	4.0	5.0	2.0	4.0	28.5	30.0	27.0	85.5
T035108	6.5	2.5	3.5	3.5	4.5	2.0	5.5	28.0	30.0	27.0	85.0